Fortus 380mc and 450mc



Get the latest FDM technology for advanced prototyping and production.

Bring the speed, agility and design freedom of advanced additive manufacturing to your business while gaining the latest advances in FDM® technology. The Fortus 380mc™ and Fortus 450mc™ 3D Production Systems build high-requirement prototypes, rugged jigs, fixtures and tooling, and custom production parts in familiar thermoplastics. And these 3D production systems are engineered for ease of use, including an all-new, intuitive touchscreen interface for smooth workflow. Both let you choose materials individually or in economical bundles.

Fortus 380mc: Quickly build advanced prototypes and production aids as large as 355 x 305 x 305 mm (14 x 12 x 12 in.) in eight standard and engineering thermoplastics.

Fortus 450mc: Get all the capabilities of the Fortus 380mc, plus a larger build envelope (406 x 355 x 406 mm [16 x 14 x 16 in.]) and the option to run high-performance thermoplastics for specialized production parts in demanding fields such as medical, aerospace, research and defense.

System Specifications					
Build Envelope (XYZ)	380mc: 355 x 305 x 305 mm (14 x 12 x 12 in.)	450mc: 406 x 355 x 406 mm (16 x 14 x 16 in.)			
Material Delivery	380mc: One bay each for material and support canisters	450mc: Two bays each for material and support canisters. Auto changeover between canisters			

Material Options									
Material	Layer Thickness				Support Structure	Available Colors			
	0.330 mm	0.254 mm	0.178 mm	0.127 mm					
	(0.013 in.)	(0.010 in.)	(0.007 in.)	(0.005 in.)					
ABS-ESD7™	0	•	•	0	Soluble	■ Black			
ABS-M30™	•	•	0	•	Soluble	Ivory	□ White		
						■ Black	■ Red		
						■ Blue	■ Dark Gray		
ABS-M30i™	•	•	•	•	Soluble	Ivory			
Antero™ 800NA*	0	•	0	0	Breakaway	■ Natural			
Antero 840CN03*	0	•	0	0	Breakaway	■ Natural			
ASA						■ Black	■ Dark Blue		
						■ Dark Gray	■ Green		
	•	•	•	•	Soluble	■ Light Gray	Yellow		
						□ White	Orange		
						Ivory	■ Red		
FDM Nylon 12™	•	•	•	\circ	Soluble	■ Black			
FDM Nylon 12CF ^{TM*}	0	•	0	0	Soluble	■ Black			
PC	•	•	•	•	Breakaway, Soluble	☐ White			
PC-ABS	•	•	•	•	Soluble	■ Black			
PC-ISO TM				0	Descherie	■ Translucent Natural			
			O	O Breakaway	□ White				
ULTEM™ 9085 resin*		0	0	Breakaway	■ Tan				
	•	•	0	0	Dieakaway	■ Black			
ULTEM™ 1010 resin*	•	•	0	0	Breakaway	■ Natural			
ST-130*	•	0	0	0	Breakaway	■ Tan			

*Fortus 450mc only

Fortus 380mc and 450mc



Other Specifications	
System Size and Weight	129.5 cm x 90.2 cm x 198.4 cm (51 x 35.5 x 78.1 in.) 601 kg (1325 lbs.)
Achievable Accuracy	Parts are produced within an accuracy of \pm .127 mm (\pm .005 in.) or \pm .0015 mm/mm (\pm .0015 in/in), whichever is greater). Z part accuracy includes an additional tolerance of -0.000/+slice height. Note: Accuracy is geometry dependent. Achievable accuracy specification derived from statistical data at 95% dimensional yield.
Network Communication	10/100 base T connection. Ethernet protocol.
Operator Attendance	Limited attendance for job start and stop required.
Power Requirements	208VAC 3 phase, 50/60 Hz, consumes 18 Amps
Regulatory Compliance	CE, cTUVus, EAC, FCC Part B
Software	All Fortus systems include Insight™ and Control Center™ job processing and management software. Compatible with GrabCAD Print for use with job reports, scheduling and remote monitoring.
Operating System	Microsoft Windows 10 (Pro, Enterprise, Education), Microsoft Windows 8.1 and Windows 8 (Pro, Enterprise), Microsoft Windows 7 (Pro, Enterprise, Ultimate), Microsoft Windows Server 2012 R2. Insight software requires a 64-bit operating system.

USA - Headquarters

7665 Commerce Way Eden Prairie, MN 55344, USA +1 952 937 3000

ISRAEL - Headquarters

1 Holtzman St., Science Park PO Box 2496 Rehovot 76124, Israel +972 74 745 4000

Airport Boulevard B 120 77836 Rheinmünster, Germany +49 7229 7772 0

ASIA PACIFIC

7th Floor, C-BONS International Center 108 Wai Yip Street Kwun Tong Kowloon Hong Kong, China + 852 3944 8888



GET IN TOUCH.

www.stratasys.com/contact-us/locations

stratasys.com

ISO 9001:2015 Certified

